

	Type	L #	Search Text	Time Stamp
1	BRS	L1	light near2 source	2003/12/09 16:38
2	BRS	L2	beam adj (split\$4 or divid\$4)	2003/12/09 16:40
3	BRS	L3	prism	2003/12/09 16:41
4	BRS	L4	mirror	2003/12/09 16:41
5	BRS	L5	((optical or light) adj detect\$4) or photodetect\$4 or photodiode	2003/12/09 16:44
6	BRS	L6	amplifier or demodulator	2003/12/09 16:44
7	BRS	L7	lockin adj amplifier	2003/12/09 16:44
8	BRS	L8	modulator	2003/12/09 16:45
9	BRS	L9	modulator near control\$4	2003/12/09 16:46
10	BRS	L10	I1 and I2	2003/12/09 16:46
11	BRS	L11	I10 and I3	2003/12/09 16:46
12	BRS	L12	I11 and I4	2003/12/09 16:46
13	BRS	L13	I12 and I5	2003/12/09 16:46
14	BRS	L14	I13 and I6	2003/12/09 16:46

	Type	L #	Search Text	Time Stamp
15	BRS	L15	I14 and I7	2003/12/09 16:47
16	BRS	L16	I15 and (I8 or I9)	2003/12/09 16:54

	U	1	Document ID	Issue Date	Pages
1	<input type="checkbox"/>	<input type="checkbox"/>	US 5636195 A	19970603	22
2	<input type="checkbox"/>	<input type="checkbox"/>	US 5589936 A	19961231	33
3	<input type="checkbox"/>	<input type="checkbox"/>	US 5568460 A	19961022	23
4	<input type="checkbox"/>	<input type="checkbox"/>	US 4912526 A	19900327	54
5	<input type="checkbox"/>	<input type="checkbox"/>	US 4893353 A	19900109	57

	Title	Current OR	Current XRef
1	Optical recording method and reproducing method and recording apparatus and reproducing apparatus utilizing stimulated photon echo	369/100	365/106; 365/119; 369/103; 369/108
2	Optical measuring apparatus for measuring physichemical properties	356/450	356/511
3	Optical recording and/or reproducing apparatus and method utilizing stimulated photon echo	369/100	365/106; 365/119; 365/121; 369/275.2; 369/288
4	Optical frequency synthesizer/sweeper	398/196	
5	Optical frequency synthesizer/sweeper	398/183	

[illegible]

	Image Doc. Displayed	PT
1	US 5636195	<input type="checkbox"/>
2	US 5589936	<input type="checkbox"/>
3	US 5568460	<input type="checkbox"/>
4	US 4912526	<input type="checkbox"/>
5	US 4893353	<input type="checkbox"/>